
Catalog OSA

Integrity Prophygiene™

Direct From The Manufacturer

Prophy.com, LLC



TEST THE BEST FOR 30 DAYS

Try any of our INTEGRITY products for 30 days. If you're not completely satisfied with the outstanding performance, return the handpieces for a full refund. It's a risk-free opportunity to test the very best.

Purchase $1000 or more and Receive 20% off your Entire Item Order !

To Order Call **1-866-618-1720**
or Visit us at **www.prophy.com**

Osseo Scientific, LLC
Made in the U.S.A.

Integrity Prophygiene™ II

Best Selling

Swivel Hygiene Handpiece
2.3oz. (65 grams)

135° C
Autoclavable



360° Swivel

329.95
CAT# NT-PG-II

- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- Removable Mini Nose Cones for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURER
Made in the U.S.A.

www.prophy.com

Prophygiene™

Worlds Lightest

Lightest Swivel Hygiene Handpiece

2.1 oz. (60 grams)



C 135°
Autoclavable

329.95

CAT# NT-PG-U

360° Swivel

- Lightest Hygiene Handpiece only 2.1 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURER
Made in the U.S.A.

To Order Call: 1-866-618-1720

Integrity Prophygiene™

Silver Streak

Swivel Hygiene Handpiece



- Removable Nose Cone for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).

Integrity Prophygiene™

Blue Beauty

Lightest Swivel Hygiene Handpiece
2.2 oz. (63 grams)



135°C
Autoclavable

329.95
CAT# NT-PG-B

- Lightest Hygiene Handpiece only 2.2 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURER
Made in the U.S.A.

Integrity II Prophygiene™ LTD

Precious Violet

Swivel Hygiene Handpiece

2.3oz. (65 grams)

Includes 3 Nose Cones & 1 Motor

135° Autoclavable



399.95

CAT# NT-PG-3V

- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- 3 Interchangeable Mini Nose Cones for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURER

Made in the U.S.A.

www.prophy.com

Integrity II

Swivel Hygiene Handpiece
2.3oz. (65 grams)

Each Includes 3 Nose Cones & 1 Motor

135° Autoclavable

Silhouette™



399.95
CAT# NT-PG-3S

Conture™



399.95
CAT# NT-PG-3C

- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- 3 Interchangeable Mini Nose Cones for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURE
Made in the U.S.A.

To Order Call: 1-866-618-1720

Buy Integrity™

Friction Grip Prophy Nose Cones

For Disposable Prophy Angles!

135° Autoclavable



99.95 Each

CAT# NT-PG-SNC-MX


Mini Friction Grip 1:1 Prophy Nose Cones for Disposable Prophy Angles. Fits all Integrity Motors.



109.95 Each

CAT# NT-PG-SNC-CX

Universal 1:1 Friction Grip Straight Nose Cone for Disposable Prophy Angles. Fits Integrity & E-Type Motors



119.95 Each

CAT# NT-PG-SNC-HX

Universal 1:1 Friction Grip Nose Cone for Disposable Prophy Angles. Fits Integrity & E-Type Motors. Best used with our Cordless Prophygiene Systems.

Integrity PGE-300™

Electric Handpiece System





899.95

CAT# PGE-300
Complete

System includes:

Control box with all connections
LED electric handpiece.
1:1 Straight Nose Cone with internal irrigation
1:1 Push button Contra Angle with internal irrigation
Handpiece cradle included



1:1 Straight Nose Cone
with internal irrigation




1:1 Push button Contra Angle
with internal irrigation

Description:

- Trouble free brush less motor.
- Motor incorporates bright white LED Lighting.
- Lube free motor.
- Nose Cones and Attachment are Autoclavable up to 275 °F (135 °C).
- Speed control, easily adjusts 16:1 reduction, 1:1 and 1:5 attachment
- Optional 1:5 Contra Angle. (at additional cost).
- One Year Warranty, Made in the U.S.A.


To Order Call: 1-866-618-1720

Low-Temp Osseo Drill™



99.95 Each

Low Temp Osseo Drill™ vs. other Bone Drills



Thermal injury when drilling bone, is well documented and known, but was not addressed until now! Introducing the Low Temp Osseo Drill™ Its unique design enables a less penetrating force, which means less time for heat generation inside the drilled bone. More importantly, it means no damage to the bone as may be evident with other standard bone drills that heat above 40°C.

Studies have shown that the Low Temp's unique drill design resulted in a temperature "safe zone" for bone, under 40° C .
Less Heat & Less Force guarantees remarkably enhanced implant integration superior to any other bone drills.
Use the Low Temp Osseo Drill™ to decrease the drilling temperature and to Increase your rate of Success.

Low-Temp Osseo Drill™

Scientifically designed- A better Bone Drill

Tip Design
Designed for ease of penetration, reducing the time for heat generation.

Recess
2.0 mm recess is a standard with all Low - Temp Drills, allowing clearance for stopper.

Drill Shank
All Low Temp Drill shanks are ground per ISO Specification, for vibration free operation.

Fit
Low Temp Drills are designed to fit your standard handpiece.



Helix Design
Designed to rapidly remove material, to avoid blocking the flutes, and to reduce heat.

Stopper
Integrated Stopper on all Low Temp drills for accurate depth drilling to 0.1 mm

I.D. Marking
Diameter & Depth of drill is laser marked on all Low temp drills.

Medical Coating
Increases wear resistance, maintains sharpness of edges and reduces friction.

See sizes below , more sizes available.

D = 2.0 mm

L	Catalog No.
8.5 mm	200-85
10.0 mm	200-100
11.5 mm	200-115
13.0 mm	200-130
15.0 mm	200-150

D = 2.3 mm

L	Catalog No.
8.5 mm	230-85
10.0 mm	230-100
11.5 mm	230-115
13.0 mm	230-130
15.0 mm	230-150

D = 2.75 mm

L	Catalog No.
8.5 mm	275-85
10.0 mm	275-100
11.5 mm	275-115
13.0 mm	275-130
15.0 mm	275-150

D = 3.0 mm

L	Catalog No.
8.5 mm	300-85
10.0 mm	300-100
11.5 mm	300-115
13.0 mm	300-130
15.0 mm	300-150

D = 3.15 mm

L	Catalog No.
8.5 mm	315-85
10.0 mm	315-100
11.5 mm	315-115
13.0 mm	315-130
15.0 mm	315-150

D = 3.25mm


L	Catalog No.
8.5 mm	325-85
10.0 mm	325-100
11.5 mm	325-115
13.0 mm	325-130
15.0 mm	325-150

D = 4.25 mm

L	Catalog No.
8.5 mm	425-85
10.0 mm	425-100
11.5 mm	425-115
13.0 mm	425-130
15.0 mm	425-150

D = 5.25 mm

L	Catalog No.
8.5 mm	525-85
10.0 mm	525-100
11.5 mm	525-115
13.0 mm	525-130
15.0 mm	525-150





94.95

CAT# DPA-500
Disposable Prophy Angle

BOX OF 500 COUNT AS LOW AS .14¢ EACH





69.95

CAT# NTL-01
Standard Latch Head, Manual Swing Type.



69.95

CAT# NTL-02
Mini Latch Head, Manual Swing Type.

Integrity™ E-Type Series

One System covers all Speeds



CAT# NTE-11 | CAT# NTE-14 | CAT# NTS-11 | CAT# NTS-14

89.95

CAT# NTE-11
1:1 Attachment for general dentistry.

149.95

CAT# NTE-14
1:4 Reduction Attachment For Pins, Post, Excavations & Prophys.

119.95

CAT# NTS-11
1:1 Straight Nose Cone, up to 40,000 RPM. For general dentistry.

169.95

CAT# NTS-14
1:4 Straight Nose Cone For Pins, Post, Excavations & Prophys.

135°
Autoclavable

Integrity™
Low Speed Motors
E- Type

All Integrity E-Type Mini Motor Series will accept all E-Type attachments same power at only 1/2 the weight.



CAT# NTS-11-M

CAT# NTS-FG-11

CAT# NTS-FG-14

109.95

CAT# NTS-11-M

1:1 Mini Straight Nose Cone, Fits all Integrity Motors For general dentistry.

109.95

CAT# NTS-FG-11

1:1 Friction Grip Straight Nose Cone For Disposable Prophy Angles.

149.95

CAT# NTS-FG-14

4:1 Friction Grip Straight Nose Cone For Disposable Prophy Angles.



259.95

CAT# NTE-20

20,000 RPM E-Type Air Motor



279.95

CAT# NTE-M5

5,000 High Torque Mini Air Motor, No Reverse, Weights Only 1.7 oz.

Direct From The MANUFACTURER

Made in the U.S.A.


Integrity™ MW Series

"MidWest Style"
Compatible with Midwest motors and attachments. At a fraction of the price.



119.95

CAT# MW-SNC-FG
MidWest Prophy Nose Cone
MidWest Type friction grip prophy nose cone to fit MidWest Shorty and Rhino motors.



139.95

CAT# MW-SNC
MidWest Style Straight Nose Cone
MidWest type nose cone to fit MidWest Shorty and Rhino motors.

Integrity™ Leverage Classic

High Speed Motor

Push Button or Lever Bur Changing. Ergonomic Comfort For Smooth Control Attractive surface with No slip Grip design, Small Head Size, Light Weight & Whisper Quiet.





259.95

CAT# NT-HS-PB
Handpiece with Push Button Cap



299.95

CAT# NT-HS-PB
Handpiece with Lever Cap

Integrity™ Interproximal Contra Angle

135°
Autoclavable



169.95

CAT# C-Saw
Fits E-type handpiece
1.4 mm stroke
Autoclavable
Optimal torque
Gear ratio: 4:1



129.95

CAT# MW-TUR-PB
Push Button Turbine with Ceramic Ball Bearings.

WE HAVE ALL TURBINES FOR MOST HANDPIECES AT LOW PRICES.

www.prophy.com

Maximum Comfort with Integrity Euro™
Contra Angles and Heads

135° Autoclavable



CAT# NTE-11K-COM

229.90

INTEGRITY EURO
Contra-angle 1:1
With Replaceable Head, Push-button chuck for RA burs. Ideal for Cavity and Crown Preparation, Finishing and Excavating.



CAT# NTE-14K-COM

269.90

INTEGRITY EURO
Reducing contra-angle 4:1
With Replaceable Head, Push-button chuck For RA burs. Ideal for Cavity and Crown Preparation, Finishing and Excavating.



CAT# NTE-ENDO-COM

329.90

INTEGRITY EURO ENDO
Reducing contra-angle 4:1
With Replaceable Head, Push-button Reciprocating chuck for Endo Hand Files. Ideal for Hand File Endo Procedures.

4:1 Euro Style Contra Angle
4:1 Reduction Attachment For Pins, Post and Excavations.

179.95
CAT# NTE-14-K



1:1 Euro Style Contra Angle
1:1 Attachment general dentistry.

139.95
CAT# NTE-11-K





Euro Push Button Head
New Style Push Button Head 30,000 RPM for RA Burs 2.35mm

95.95
CAT# NTL-01-K



FG Euro Push Button Head
New Style Ball Bearing Head 40,000 RPM for FG Burs 1.6mm

109.95
CAT# NTL-01-FGK



Euro Endo Head
New Style Reciprocating Push Button Chuck For Endo Hand Files

129.95
CAT# NTL-12-K

Integrity Prophygiene™ III

Most Comfortable

45° Connector Reduces Air Tube Drag

2.4 oz. (68 grams)



- 45° Connector reduces air tube drag.
- Lightest Hygiene Handpiece only 2.4 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance with superior comfort and control.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacturer.
- One Year Warranty, Made in the U.S.A.

Direct From The MANUFACTURER

Made in the U.S.A.

To Order Call **1-866-618-1720**
or Visit us at **www.prophy.com**